ANALYTIC SUBJECT INDEX

A-15 compounds 1397
A-15 (film) prepared by sputtering 812
Ab-initio molecular orbital calculations of effective exchange integrals 1213
$ABa_2Cu_3O_{7-x}$ [A = $(R1)_x(R2)_{1-x}$; R1, R2 = Y, Sm, Eu, Gd, Tb, Dy, Yb, Zr, Nb, La] 924
AC loss of $YBa_2Cu_3O_{7-\delta}$ 1565
AC susceptibility of superconductors 1477
– $YBa_2Cu_3O_{7-\delta}$ 1531, 1533
– $YBa_2Cu_3O_7$ 1511
– $YBa_2Cu_3O_7$ (single crystal) 1491
Active components 1598
AES
– of La_2CuO_4 149
– of $La_{2-x}Sr_xCuO_4$ 119, 149
– of $YBa_2Cu_3O_{7-x}$ 119
– of $YBa_2Cu_3O_{7-x}$ (ortho, tetra) 149
Ag–$YBa_2Cu_3O_{7-\delta}$ (thin film) 1379
Al:Al_2O_3 (thin film) 479
Al:Al_2Te_3 (thin film) 477, 479
Almost localized system 1271
Al_2O_3 (crucible) 44
α-(BEDT–TTF)$_2I_3$ 493
α_t-(BEDT–TTF)$_2I_3$ 491, 493
Analytical electron microscopy of $YBa_2Cu_3O_{7-x}$ 998
Anderson lattice 709, 1175
– for La_2CoO_4 1287
– with $S = 1/2$ 1275
Anderson model 1642
Andreev reflection 1718
– from $YBa_2Cu_3O_7$ (film) 1379
Anelastic relaxation of $YBa_2Cu_3O_{7-x}$ 298
Angle-resolved X-ray photoelectron spectroscopy, *see* ARXPS
Angular correlation of positron annihilation radiation (ACPAR), *see* positron annihilation spectroscopy 1724
Angular force model 210
Anharmonic model of high-T_c superconductors (theory) 206
Anharmonicity 202
Anisotropic acoustic plasmon 1661
Anisotropic characteristic length 1461
Anisotropic coherence length 26, 32
Anisotropic conductivity measurements by Montgomery method 26
Anisotropic conductivity of $YBa_2Cu_3O_7$ (single crystal) 1072
Anisotropic conductivity of $YBa_{2-x}Sr_xCu_3O_{7-y}$ and $YBa_2Cu_3O_{7-y}$ (single crystal) 1675
Anisotropic critical current density 32
– measured by magnetization 32
Anisotropic electrical resistivity
– of single crystal $(La_{1-x}Sr_x)_2CuO_4$ 38
– of $YBa_2Cu_3O_{7-x}$ (single crystal) 1365
Anisotropic energy gap 1610
Anisotropic Hall effect of $RBa_2Cu_3O_{7-x}$ (R = Y, Gd, Ho) single crystals 26
Anisotropic light reflection of $YBa_2Cu_3O_{7-x}$ (single crystal) 1677
Anisotropic magnetization
– of $EuBa_2Cu_3O_{7-\delta}$ (single crystal) 1471
– of $YBa_2Cu_3O_{7-x}$ 32
Anisotropic magnetoresistance of UPt_3 (whisker) 451
Anisotropic order parameter 673
Anisotropic properties of single crystal $YBa_2Cu_3O_{7-x}$ 32
Anisotropic reflectivity and absorption (*ab* plane) of $YBa_2Cu_3O_{7-\delta}$ 1748
Anisotropic strong coupling theory 713
Anisotropic superconductivity
– of $RBa_2Cu_3O_{7-x}$ (R = Y, Gd, Ho) single crystals 26
Anisotropic superconductors 677
– theory 689, 691
Anisotropic transport properties
– of $RBa_2Cu_3O_{7-x}$ (R = Y, Gd, Ho) single crystals 26
Anisotropic transport properties of $YBa_2Cu_3O_{7-x}$ (single crystal) 1133
Anisotropic upper critical field H_{c2} 32
– of Bi–Sr–Ca–Cu–O system 11
– of $RBa_2Cu_3O_{7-x}$ (R = Y, Gd, Ho) single crystals 26
– of $YBa_2Cu_3O_{7-x}$ 32
Anisotropy effect in H_{c2} 249
– of Nb 247
Anisotropy of $REBa_2Cu_3O_7$ single crystal (RE = Tm, Er, Y) 1467
Anisotropy of reflectance in the *ab* plane of $EuBa_2Cu_3O_{7-x}$ single crystal 653
Anisotropy of resistivity of $YBa_2Cu_3O_{7-\delta}$ (single crystal) 1359
Anomalous resistivity 245
Anomalous susceptibility 245
Anomaly in Cu–O bond in $EuBa_2Cu_3O_{7-x}$ 270
Anomaly of ultrasound
– in $La_{1.85}Sr_{0.15}CuO_4$ 255
– in $YBa_2Cu_3O_x$ 266
Antiferromagnetic fluctuations 727
Antiferromagnetic order
– in $YBa_2Cu_3O_{6+\delta}$ (single crystal) 1115
– in $(Y_{1-x}Gd_x)Ba_2Cu_3O_{7-x}$ 190
– of UPt_3 1728
Antiferromagnetic spin waves 1273, 1673
Antiferromagnetically correlated layer oxides 1227
Antiferromagnetism
– in $YBa_2Cu_3O_x$ 759
– in $YBa_2Cu_3O_6$ (single crystal) 192
– of La_2CuO_4 11, 1636
– of $YBa_2Cu_3O_7$ 11
– theory 549
Antisymmetric exchange in La_2CuO_4 (single crystal) 515
Applications of high-T_c superconductors 1049
Arc melting, $YBa_2Cu_3O_7$ 405
ARXPS of *c*-axis textured $YBa_2Cu_3O_x$ 127

Aslamazov–Larkin theory 15
Assignment of Cu NMR frequency 737
Au (crucible) 44
Auger depth profile 1453
Auger electron spectroscopy, *see* AES

$BaBiO_3$ 693
$Ba_{0.9}K_xBiO_3$ 693
Band calculation of $Bi_2Sr_2CaCu_2O_8$ 629, 1225
Band structure 1315
– of La_2CuO_4 1769
– of $La_{2-x}Sr_xCuO_4$ 1235
– of $YBa_2Cu_3O_{7-\delta}$ 1769
$BaPb_{1-x}Bi_xO_3$ 693
$BaPb_{1-x}Bi_xO_3$ (theory) 1177
BEDT–TTF salts 1055
Belavin–Polyakov solitons 103
β-$(BEDT–TTF)_2I_3$ 493
– single crystal 1153
Bi(Pb)–Sr–Ca–Cu–O 560
Bipolaron model (vibronic) (theory) 208
(Bi)polaronic superconductivity (theory) 214
Bireflectance of $YBa_2Cu_3O_{7-x}$ 1748
BIS
– of $La_{2-x}Sr_xCuO_4$ 119
– of $YBa_2Cu_3O_{7-x}$ 119
– of $YBa_2Cu_3O_7$ 1445
Bismuth compounds
– Bi–Al–Ca–Sr–Cu–O 1138
– Bi–Sr–Ca–Cu–O 11, 560, 625, 858, 1144
– $Bi_2CaSr_2Cu_2O_{8+\delta}$ 1138
– $Bi_9Ca_5Sr_9Cu_9O_x$ 858
– $Bi_9Ca_5Sr_9Cu_{17}O_x$ 858
– $Bi(Sr_{1-x}Ca_x)_2Cu_3O_y$ 625
– BiSrCaCuO 1501
– $BiSrCaCu_2O_x$ 602, 615, 627, 631, 852
– $BiSrCaCu_2O_{8+\delta}$ 617
– $BiSrCaCu_3O_x$ 615
– $Bi_2Sr_2CaCu_2O_x$ 615
– $Bi_4Sr_3Ca_2Cu_4O_x$ 602
– $Bi_4Sr_3Ca_3Cu_6O_x$ 602
– $Bi_2SrCaCu_2O_x$:Fe 1361
– $BiSrCuO_{4-y}$ 908
Bose condensation of holons 1630
Boundary between $YBa_2Cu_3O_{7-x}$ films and substrates (Al_2O_3, $SrTiO_3$, ZrO_2) 814
Boundary effects due to short coherence length 15
Break junction 1383
Breathing mode 276
Bremsstrahlung isochromat spectroscopy, *see* BIS
Bulk modulus of $GdBa_2Cu_3O_7$ 954

$Ca_xMo_6S_8$ (single crystal) 481
Carrier concentration (holes)
– in $(La_{1-x}Ba_x)_2CuO_4$ 9
– in $YBa_2Cu_3O_7$ 9
CDW 693
^{140}Ce in $La_{1.8}Sr_{0.2}CuO_4$ 1545
$CeCu_6$ (thin film) 435
$Ce(Cu_{1-x}Ag_x)_6$ 443
$CeCu_2Si_2$ 1642
$CeCu_{2.2}Si_2$ 449
$CeCu_2Si_2$ (powder) 441
$CeCu_2Si_2$ (single crystal) 439
$CeCu_2Si_2$ (thin film) 435
$Ce_{1-x}La_xCu_{2.2}Si_2$ 449
$CePt_xSi$ 447
Ceruloplasmin (copper containing blood plasma metallo-protein) 506
Characterization
– by excimer laser evaporation 1429
– of $YBa_2Cu_3O_{7-x}$ 387
– of $YBa_2Cu_3O_{7+x}$ 830
– of $YBa_2Cu_3O_{7-x}$ (thin film) 1429, 1439
Charge fluctuations 239, 1317
– of Ba 131
Charge transfer excitation (exciton) 1225
Charge transfer mediated pairing 1622
Chemical bond of $YBa_2Cu_3O_{7-x}$ 131
Chevrel phase
– $PbMo_6S_8$ 461, 633
– $SnMo_6S_8$ 463
Citrate precursor method 389
Cluster calculation of $YBa_2Cu_3O_5X$ (X = O, F, N) 123
Cluster calculations 1243
Co–Vr–Zr 433
Coexistence of superconductivity and disordered magnetism in $YBa_2Cu_3O_{7-\delta}$ 1669
Coherence length 1459, 1461, 1610, 1617
– of $REBa_2Cu_3O_7$, RE = Y, Gd, Dy, Ho 1525
– of $YBa_2Cu_3O_7$ 1497
Collective valence electron excitation model 1313
Competing spin–spin interactions 1289
Composite superconducting wire 463
Copper–oxygen valence fluctuations 1303
Correlation between T_c and lattice parameters in $YBa_2Cu_3O_y$ 948
Correlation effect in Hubbard model 1291
Correlation function for one-dimensional Hubbard model 1281
Correlations between superconductivity and structure 1665
Corrosion of $YBa_2Cu_3O_{7-\delta}$ (water) 1419
Coulomb interactions
– in La_2CuO_4 1173
– in $SrTiO_3$ 1173
– in $YBa_2Cu_3O_x$ 1173
Coupled order parameter approach 721
Coupled spin–mobile hole model 1219
CPA model 1177
Critical behavior
– critical fluctuations in conductivity 15
– critical fluctuations in specific heat 15
Critical current density J_c 351, 1471
– anisotropy in magnetic fields 15
– in $HoBa_2Cu_3O_7$ (single crystal) 1479
– of BiSrCaCuO 359
– of $BiSrCaCu_2O_x$ 994
– of high-T_c films 1159
– of $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ 870
– of $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M = Ni, Zn) 1537
– of $YBa_2Cu_3O_{7-x}$ 200, 359
– of $YBa_2Cu_3O_7$ 367, 1483, 1497, 1574
– of $YBa_2Cu_3O_{7-\delta}$ (thin film) 1437
– of $Y(Ba_{1-x}Sr_x)_2Cu_3O_{7-\delta}$ 870
– (transport) of $YBa_2Cu_3O_7$ 1341
Critical current (magnetic) 1475
Critical exponent
– of YBaCuO 326
Critical field H_{c3} of $YBa_2Cu_3O_{7-x}$ 32
Critical field model 1533
Critical fluctuations 520, 1082
Critical state 308
Crossover, 2D to 3D 15
Crystal chemistry 3
Crystal field
– of $ErBa_2Cu_3O_{7-x}$ 164
– of $HoBa_2Cu_3O_{7-x}$ 164
– of $HoBa_2Cu_3O_7$ 176

- of $NdBa_2Cu_3O_7$ 170
- of $PrBa_2Cu_3O_7$ 170
- of $REBa_2Cu_3O_{7-x}$ (RE = Pr, Nd, Tm, Tb) 184
- of $REBa_2Cu_3O_7$ (RE = Y, Nd, Sm, Eu, Gd, Dy, Ho) 186

Crystal separation of $YBa_2Cu_3O_{7-x}$ crucibles 44
Crystal structure
- of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 560, 608, 619
- of $YBa_2Cu_3O_{7-x}$ (single crystal) 1133

Cu d–d excitations model 1305
Cu Lα emission spectra ($3d \rightarrow 2P_{3/2}$) 125
Cu–O chain in $YBa_2Cu_3O_x$ 962
Cu–O chains 1187
Cu–O_2 plane 1187
Cu substitution by Fe in $YBa_2Cu_3O_{7-x}$ 582
CuO 729
- single crystal 508

Current theories of high-T_c superconductors 1769

d–d excitation model 1307, 1309
3d element substitution in $YBa_2(Cu_{1-x}M_x)_3O_{7-y}$ (M = Ti, V, Cr, Mn, Fe, Co, Ni, Zn) 900
3d impurity effects on $YBa_2Cu_3O_{7-x}$ 856
2d superconducting fluctuations 1610
d-wave BCS state 543
d-wave superconductor 1251
DC sputtering 774
DC SQUID 1409, 1569
- from $YBa_2Cu_3O_y$ (thin films) 1685
- high T_c 1685
- magnetometer 1413
- thin film 1586

DC triode sputtering 1437
de Haas–van Alphen oscillations, *see* dHvA oscillations
Debye–Waller factor (Cu–O) 270
Decay of magnetization of $YBa_2Cu_3O_{7-x}$ 324
Density of Cooper pairs 699
Determination of [Cu–O] charge 1367
Deuterides, $Pd_{93}Ag_7$ 467
Device to observe T_c 1425
Dharma-wardana model 215
dHvA oscillations (theory) 1179
Diamagnetic susceptibility
- effect of fluctuations (theory) 241

Diffuse magnetic neutron scattering of $YBa_2Cu_3O_{7-\delta}$ 1669
Directional solidification
- of Bi–Sr–Ca–Cu–O 363
- of $YBa_2Cu_3O_7$ 363

Disorder of Ba and Cu in $YBa_2Cu_3O_{7-x}$ 946
Disordering (radiation damage) 339
- effect on $La_{1.83}Sr_{0.17}Cu_3O_{4-x}$ 339
- effect on $YBa_2Cu_3O_{7-x}$ 339

Doped dimer gas 531
Double exchange interaction 1297
Dynamical conductivity
- of $YBa_2Cu_3O_7$ 639

EELS 239, 1067
- of $La_{2-x}Sr_xCuO_4$ 119
- of $YBa_2Cu_3O_{7-x}$ 119, 998
- of $YBa_2Cu_3O_7$ 151

EELS (high energy transmission)
- for $(La_{1-x}Sr_x)_2CuO_4$ 11
- for $YBa_2Cu_3O_7$ 11

Effect of field cooling 1495
Effect of heat treatment of $YBa_2Cu_3O_7$ 1507
Effect of thermal treatment on $YBa_2Cu_3O_{7-x}$ 375
Effective interactions mediated by 1D chains 1187
Effective mass 651
Effective pseudo spin model 1642
Elastic properties of high-T_c superconductors 1096
Electrical contacts
- by silver paste 26
- by spark bonding 26

Electrical resistivity 9, 527
- of $BiSrCaCu_2O_x$:Fe 1361
- of $LaNi_{1-x}Co_xO_3$ 1331
- of $(La_{1-x}Sr_x)_2CuO_4$ 9
- of $LnBa_2Cu_3O_{7-x}$ (Ln = Ho,Y,Sm) 1371
- of single crystal $YBa_2Cu_3O_7$ 9
- of $YBa_2Cu_3O_{7-x}$ 1363
- of $YBa_2Cu_3O_7$ 9
- of $YBa_2Cu_3O_{7-x}$, thin film 1333
- of $YBa_2Cu_3O_{7-x}$ (single crystal) 1329, 1373
- of $YBa_2Cu_3O_{7-x}$ (single crystal, ceramics) 1369

Electrochemical preparation of $YBa_2Cu_3O_{7-x}$ 1457
Electrocrystallization technique 465
Electromagnetic properties (theory) 689
Electromagnetic response of unconventional superconductivity (theory) 715

Electromagnetic shielding effect of $YBa_2Cu_3O_{7-x}$ 1423
Electron beam deposition 1439
Electron beam evaporation 520, 771
Electron correlations 1315
Electron diffraction image
- of Bi–Sr–Ca–Cu–O system 1144
- of $YBa_2Cu_3O_{7-x}$ 582, 956

Electron–electron coupling 1610
Electron–electron scattering in disordered superconducting films 1708
Electron energy loss spectroscopy, *see* EELS
Electron energy loss spectrum of $YBa_2Cu_3O_{7-x}$ 1661
Electron irradiation effect
- on $La_{1.8}Ba_{0.2}CuO_{4-x}$ 850
- on T_c 341
- on $YBa_2Cu_3O_{7-x}$ 850
- on $YBa_2Cu_3O_7$ 341

Electron microscopic measurements on $REBa_2Cu_3O_{7-x}$ 586
Electron microscopy image of $HoBa_2Cu_3O_{7-x}$ 990
Electron–phonon coupling 1610
Electron–phonon interaction 99
- in two bands 1323

Electron tunneling 1379
- of CdS (film) 1395
- of $HoBa_2Cu_3O_x$ (single crystal) 1383
- of $La_{1.8}Sr_{0.2}CuO_4$ 1391
- of Nb film 1393
- of Pb 1385, 1399
- of $YBa_2Cu_3O_{7-x}/Ta_2O_5$, (Pb) (barrier) 1375

Electronic density of states 1241
Electronic instability 217
Electronic momentum-density distribution 1724
Electronic properties of high-T_c superconductors 1067
Electronic properties of $YBa_2Cu_3O_{6.85}$ 1337
Electronic structure 1215
- of $Bi_2Sr_2CaCu_2O_8$ 629
- of $CeOs_xRu_{1-x}$ 1245
- of $LnBa_2Cu_3O_{7-x}$ 1243

Electronics application 1598
Eliashberg theory 223
Eliashberg's equation 1625
Energy gap 1712
- of $BiCaSrCu_2O_x$ 621
- of $YBa_2Cu_3O_{7-x}$ 1718
- theory 243

Energy gap anisotropy in $YBa_2Cu_3O_{7-\delta}$ (single crystal thin film) 1385
Energy gap $2\Delta/k_BT_c$ 639, 665, 727, 1020, 1625
– for d-wave 1269
Enhancement of T_c 1185
Enhancement of T_c in $YBa_2Cu_3O_{7-x}$ by gas absorption 349
Epitaxial film of $YBa_2Cu_3O_7$ 407
Epitaxial growth of $YBa_2Cu_3O_{7-x}$ 44
Epitaxial SQUID 1685
$ErBa_2Cu_3O_{7-x}$ (single crystal) 1335
$Er_{1-x}R_xBa_2Cu_3O_y$ (R = Yb, Ho, Gd, Eu, La, Y) 940
ESR
– of $YBa_2Cu_3O_{7-x}$ (bulk, thin film) 745
– of $YBa_2Cu_3O_{7-x}$ (single crystal) 743
– of $YBa_2Cu_3O_7$ (single crystal) 669
– of $(Y_{1-x}Gd_x)Ba_2Cu_3O_{7-\delta}$ 747, 749
$(Eu_{1-x}Ca_x)Mo_6S_8$ 481
EXAFS
– of $EuBa_2Cu_3O_{7-x}$ 270
– of $YBa_2Cu_{3-x}M_xO_{7-\delta}$ (M = Fe, Co, Ni, Zn) 852
Exchange-like interband interactions 1209
Exchange-mediated pairing 1267
Excitation spectra
– of local pair superconductivity 1203
– of strong coupling Hubbard model 1265
Excitonic mechanism for high-T_c superconductivity of $RBa_2Cu_3O_{7-x}$ 1167
Explosive shock compaction of $YBa_2Cu_3O_{7-x}$ 393
Extended Gutzwiller Ansatz 1283
Extended Hubbard model 1303
Extreme type-II superconductor (theory) 689
Extremely-high-T_c superconductor La–Sr–Nb–O film ($T_c \approx 290$ K) 504

Far-infrared absorption 1718
Far-infrared reflection
– of UBe_{13} 453
– of URu_2Si_2 453
– of $YBa_2Cu_3O_7$ 639, 816
Far-infrared spectra
– of $La_{1.83}Sr_{0.17}CuO_4$ 667
– of $YBa_2Cu_3O_{7-x}$ 667
Fermi liquid 538
Fermi surface
– of $YBa_2Cu_3O_{7-x}$ 129, 1724
Ferromagnetism in $CePt_xSi$ ($0.7 \leqslant x \leqslant 1$) 447
Field-induced orientation of small particles 986
Finite size system 1309
First-order transition in $YBa_2Cu_3O_{6.9}$ 960
FLAPW 1225
Fluctuation conductivity 675
Fluctuation conductivity (theory) 703
Fluctuation contribution in specific heat 1617
Fluctuation effects 1092
– in specific heat of $YBa_2Cu_3O_{7-x}$ (single crystal) 1082
Fluctuation-enhanced conductivity 520
Fluctuation specific heat 703
Fluctuations 32, 538, 671, 1681
– in strongly coupled superconductors 241
Flux creep 306, 310
– model for H_{c2} 32
– of $YBa_2Cu_3O_{7-x}$ (ceramics, sputtered film, ceramic foil) 322
Flux penetration of $DYBa_2Cu_3O_7$ 318
Flux pinning 1469
Flux quantization 1569
Flux trapping 334
Fluxon pinning 308
Formal Cu valency 1353
Fourth-order effective Hamiltonian 1171
Fractal cluster 328
Frustrated Heisenberg model 531
Frustration 1211
Functional integral approach to Anderson lattice 709

Gapless superconductor 1399
Gauge theory of strongly coupled correlated electron systems 103
$GdBa_2Cu_3O_7$ (under high pressure) 954
$GdMo_6S_8$ 483
Generalized dynamic spin susceptibility 1249
Generalized Ginzburg–Landau theory 671, 679, 683, 695
– twinning effect 683
Ginzburg–Landau theory 681, 687, 1203, 1617, 1681
– of RVB 1301
Glass behavior of high-T_c superconductors (numerical simulations) 59
Glass-like ordering 1026
Glass-like superconducting state in $YBa_2Cu_3O_{7-x}$ 71
Glass state
– in BaCaSrCuO 316
– in BaErCuO 316
– in $GdBa_2Cu_3O_{7-x}$ 304
– in $YBa_2Cu_3O_{7-x}$ 304
Glass state (theory) 63
Grain boundaries 304
– in $YBa_2Cu_3O_{7-x}$ 200, 1002
Granular metal film 479
Granular superconducting glass 50
Granular superconductivity 723
– of high-T_c oxides 15
– theory 721
Granular superconductors 328
Granular superconductors (theory) 63
– equilibrium and non-equilibrium properties 63
Granular $YBa_2Cu_3O_7$ 1509
Ground state properties 1215
Growth properties of $YBa_2Cu_3O_7$ (single crystal) 415
Grüneisen parameter of $MBa_2Cu_3O_7$ (M = Y, Eu) 264
Gutzwiller wave function 543

Hall effect
– in thin film 520
– in UPt_3 (single crystal) 445
– in $Y_2Ba_4Cu_8O_{20-x}$ (thin film) 520
– of $YBa_2Cu_3O_{7-x}$ 1353, 1363
– of $YBa_2Cu_3O_{7-x}$ (single crystal) 1357
– single crystal of Bi–Sr–Ca–O system 11
– theory 701
Hall pairing 1227
Hard-core quantum dimer gas 531
Heavy-fermion compounds
– $CeCu_6$ (thin film) 435
– $Ce(Cu_{1-x}Ag_x)_6$ 443
– $CeCu_2Si_2$ 439
– $CeCu_{2.1}Si_2$ 455
– $CeCu_{2.2}Si_2$ 449
– $CeCu_2Si_2$ (powder) 441
– $CeCu_2Si_2$ (thin film) 435
– $Ce_{1-x}La_xCu_{2.2}Si_2$ 449
– $CePt_xSi$ 447

- UBe_{13} 437, 453
- UPt_3 439, 451
- UPt_3 (single crystal) 445
- UPt_3 (thin film) 435
- URu_2Si_2 453
- $U_{1-x}Th_xBe_{13}$ 695

Heavy-fermion system 1642
Heavy-fermion uranium compounds 1728
Hig-T_c $REBa_2Cu_3O_{7-x}$ prepared by magnetron sputtering on MgO 1155
High-density $YBa_2Cu_3O_{7-x}$ 351, 361
High-frequency resistivity of $La_{2-x}Sr_xCu_{1-y}Co_yO_4$ 649
High-J_c $REBa_2Cu_3O_{7-x}$ prepared by magnetron sputtering on MgO 1155
High magnetic field production 1401
High oxygen pressure in La_2CuO_4 824
High pressure effect
- of T_c in $YBa_2Cu_3O_7$ 1355
- on $HoBa_2Cu_3O_{7-x}$ 355
- on optical reflectance of $MBa_2Cu_3O_{7-x}$ 643
- on T_c 403
- on $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M = Fe, Co, Ni, Zn, Ga) 1105

High-resolution electron microscopy, *see* HREM
High-resolution neutron diffraction of $YBa_2Cu_3O_x$ 962
High-resolution X-ray studies
- $La_{1.85}Sr_{0.15}CuO_4$ 594
- $YBa_2Cu_{2.88}Co_{0.12}O_7$ 594

High-T_c oxide and silver composites 1161
High-T_c superconductivity
- mechanism 196

High-T_c superconductivity in Ceruloplasmin ($T_c \approx 135$ K) 506
High temperature magnetic susceptibility of $REBa_2Cu_3O_{7-x}$ (RE = Y,La) 1523
Holons 527, 1630
$Ho_{0.5}Sc_{0.5}Ba_2Cu_3O_{7-x}$ 842
Hot press 1663
$Ho_{0.75}Ti_{0.25}Ba_2Cu_3O_{7-x}$ 842
HREM image
- of $BiSrCaCu_2O_x$ 602, 627
- of $BiSrCaCu_2O_{8+\delta}$ 617
- of $Bi_2Sr_2CaCu_2O_8$ 619
- of $YBa_2(Cu_{0.95}Fe_{0.05})_3O_7$ 972
- of $YBa_2Cu_3O_{7-x}$ 1002
- of $YBa_{2-x}Sr_xCu_3O_y$ 866

Hubbard Hamiltonian 543
Hubbard model 527, 538, 1255, 1283, 1622
Hubbard model (numerical calculation) 549
Hyperfine interaction of ^{12}F and ^{62}Cu
- in CuO 729
- in $YBa_2Cu_3O_7$ 729
- in $YBa_2Cu_3O_5F_2$ 729

Hysteresis loop 1657
- of $ErBa_2Cu_3O_{7-x}$ 417

Hysteresis of magnetization of single crystal $YBa_2Cu_3O_7$ 1121

I–V characteristics
- of $YBa_2(Cu_{1-x}Fe_x)_3O_{7-y}$ (low frequency) 641
- of $YBa_2(Cu_{1-x}Ga_x)_3O_{7-y}$ (low frequency) 641
- of $YBa_2Cu_3O_{7-x}$ 1529

IAS
- of $PrBa_2Cu_3O_{7-x}$ (single crystal) 288
- of $YBa_2Cu_3O_{7-x}$ (single crystal) 288

Icosahedral coordination 1205
Implantation of O, N 347
Impurity effects
- in$YBa_2Cu_3O_{7-x}$ 882

Inelastic neutron scattering 1067
- in $HoBa_2Cu_3O_7$ 176
- in La_2NiO_4 276
- in $MBa_2Cu_3O_{7-x}$ (M = Y, $Y_{0.5}Pr_{0.5}$, Nd) 272
- in $NdBa_2Cu_3O_7$ 170
- in $PrBa_2Cu_3O_7$ 170
- in $REBa_2Cu_3O_{7-x}$ (RE = Pr, Nd, Tm, Tb) 184
- in $YBa_2Cu_{2.55}Co_{0.45}O_7$ 282
- in $YBa_2Cu_3O_x$ 282
- in $YBa_2Cu_3O_7$ 274
- in $YBa_2(Cu_{0.9}Zn_{0.1})_3O_7$ 274

Influence of synthesis technique 357
Infrared absorption
- of $YBa_2Cu_3O_{7-x}$ 645

Infrared optical detector by $BaPb_{0.7}Bi_{0.3}O_3O_3$ (BPB) and high-T_c superconductors 1592
Infrared photoinduced absorption spectrum of $YBa_2Cu_3O_{7-x}$ 647
Infrared reflectivity 1734
- of La_2CuO_4 637
- of $MBa_2Cu_3O_{7-x}$ (M = Y, Dy, $Sm_{0.5}Ho_{0.5}$, $Sm_{0.5}Y_{0.5}$, Tm, Er, Nd, Ho) 663
- of $YBa_2Cu_3O_{7-x}$ 1744

Infrared spectroscopy
- of $YBa_2Cu_3O_{7-x}$ 833
- of $YBa_2Cu_{3-x}Zn_xO_{7-\delta}$ 833

Inhomogeneous anisotropic superconductors 1681
Instability-enhanced high-T_c superconductivity 217
Interacting fermion and boson gas 707
Interband optical conductivity 1239
- of La_2CuO_4 1233

Interband pairs in superconductors 1183
Interface 15
Interface degradation (film) 1598
Interfacial coupling properties 353
Interlayer pairing model 1315
Internal field distribution 765
Internal magnetic field in $YBa_2Cu_3O_{7-x}$ 71
Interplane phase fluctuations 1610
Iodometric titration 1367
Ion beam irradiation effect of $YBa_2Cu_3O_7$ (thin film) 1447
Ion irradiation
- of $YBa_2Cu_3O_7$ film 336

Ionic conductivity
- of $YBa_2Cu_3O_{7-x}$ 302

Irradiation effect
- on $CeCu_6$ (thin film) 435
- on $CeCu_2Si_2$ (thin film) 435
- on J_c 336
- on T_c 336
- on UPt_3 (thin film) 435

Irreversible magnetic properties 1121
Isotope effect 1209, 1247
- Cu in $YBa_2Cu_3O_7$ 261
- in La_2CuO_4 (calculation) 1165
- in $YBa_2Cu_3O_7$ (calculation) 1165
- ^{16}O, ^{18}O 286
- theory 194, 206, 1625

Josephson effect 304
Josephson junction 1405
- theory 675

Josephson tunneling 59, 992
Jump of the specific heat 1517, 1625

K-edge XANES in $YBa_2Cu_3O_{7-x}$ 121
Kinetic equation 697
Knight shift 1651
Knight shift in $YBa_2Cu_3O_{7-x}$ 83
Kondo lattice 1263

La–Sr–Nb–O film ($T_c \approx 290$ K) 504
$La_{2-x}A_xCu_{4-y}$ (A = Ca, Sr, Ba) 499
$La_{2-x}A_xCuO_{4-x/2}$ 3
$LaBa_2Cu_3O_y$ 1561

$La_4BaCu_5O_{13+\delta}$ 3
$LaBa_2Cu_3O_y$ (orthorhombic) 964
$La_{2-x}Ca_xCuO_{4-\delta}$ 922
$La_{2-x}CuO_{4-\delta}$ 922
La_2CuO_4 824, 1495
La_2CuO_{4-y} (single crystal) 1481
$La_{2-x}Na_xCuO_{4-\delta}$ 858
LAPW method 202
Laser melting
– $YBa_2Cu_3O_7$ 405
$La_{1.85}Sr_{0.15}Cu_{1-x}M_xO_{4-\delta}$ (M = Zn, Cd, Hg) 906
$La_{2-x}Sr_xCuO_4$ 538
$La_{2-x}Sr_{1+x}Cu_2O_{6+x/2}$ 3
$La_{8-x}Sr_xCu_8O_{20-\epsilon}$ 3
Lattice constants
– of $(Y_{1-x}Gd_x)Ba_2Cu_3O_{7-x}$ 190
Lattice dynamics
– of $MBa_2Cu_3O_{7-x}$ (M = Y, $Y_{0.5}Pr_{0.5}$, Nd) 272
– of $YBa_2Cu_3O_{7-x}$ (calculation) 221
Lattice dynamics (theory)
– in La_2CuO_4 202
– in $YBa_2Cu_3O_7$ 202
Lattice instability 217
Lattice softening
– of CdS:Cl 475
Laves phase ($MgCu_2$ type) compound Co–Vr–Zr 433
Libron mechanism 288
Lifshitz point 1181
Light detections by SQUID 1586
$Li_{0.9}Mo_6O_{17}$ (single crystal) 465
Linear temperature coefficient of specific heat, γ 1020
– of $Ba(Pb, Bi)O_3$ 11
– of $(La_{1-x}M_x)CuO_4$ (M = Ba, Sr) 11
– of $LiTi_2O_4$ 11
– of $YBa_2Cu_3O_7$ 11, 1036
Linearized augmented plane wave method, *see* LAPW method
Liquid nitrogen level detector 1427
LMTO–ASA method 1217
Ln–Ba–Cu–O (thin film) (Ln = Y,Er,Gd) 1696
$LnA_2Nb_3O_y$ (Ln = La, Y; A = Sr, Ba) 501
$LnBa_2Cu_3O_7$ (Ln = Y, La, Nd, Sm, Eu, Gd, Dy, Ho, Er, Tm, Yb, Lu) 499
Local density band structure calculation 1636
Local density theory of $Bi_2Sr_2CaCu_2O_8$ 1225
Local structure
– of $YBa_2Cu_3O_y$ 982
– of $YBa_2Cu_3O_y$ with Fe, Co, Ni, Zn dopes 852
Localized superconductivity 683
London penetration depth 1127
– theory 691
Lone-pair model 1195
Low-temperature specific heat 527
Lower critical field H_{c1} 1471
– of $Bi_{2.2}Sr_2Ca_{0.8}Cu_2O_{8+\delta}$ (single crystal) 1062
– of $REBa_2Cu_3O_7$ (RE = Y, Gd, Dy, Ho) 1525
– of $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M = Ni, Zn) 1537
L_3XAS
– of KCu(III)(biuret)$_2$ 117
– of La_2CuO_4 113
– of $La_2Li_{0.5}Cu_{0.5}O_4$ 117
– of $La_{1.85}Sr_{0.15}CuO_4$ 113
– of $NaCuO_2$ 117
– of $RBa_2Cu_3O_{7-x}$ (R = Ho, Gd) 113
– of $YBa_2Cu_3O_{7-x}$ 115

Macroscopic quantum tunneling 1409
Macroscopic theory for high-T_c superconductivity 1617
Magnetic chaos 332
Magnetic correlations
– in $La_2NiO_{4+\delta}$ 1111
– in $La_{2-x}Sr_xCuO_4$ 1111
Magnetic fluctuations 1669
Magnetic flux penetration 1127
Magnetic moments of $YBa_2Cu_3O_{7-y}$ 1519
Magnetic order
– in $BaCuO_2$ 168
– in $Ce(Cu_{1-x}Ag_x)_6$ 443
– in $CeCu_{2.1}Si_2$ 455
– in CuO 168
– in $GdBa_2Cu_3O_x$ 166
– in $Gd_xEu_{1-x}Ba_2Cu_3O_{7-x}$ 188
– in $HoBa_2Cu_3O_{7-x}$ 767
– in $La_{2-x}Cu_{4-y}$ 572
– in $La_{2-x}Sr_xCuO_4$ 572
– in $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ 1100
– in $YBa_2Cu_3O_x$ 166
– in $YBa_2Cu_3O_{7-x}$ 572
– in Y_2BaCuO_5 168
– in $Y_{1-x}Gd_xBa_2Cu_3O_y$ 178
Magnetic order of $GdBa_2Cu_3O_{7-x}$ 1547
Magnetic pairing mechanism for $La_{2-x}(Sr, Ba)_xCuO_4$ 1211
Magnetic phase diagram 1211
– of $ReBa_2Cu_3O_x$ (RE = Y, Ho) 761
Magnetic properties
– of $GdBa_2Cu_3O_{7-x}$ 172
– of $HoBa_2Cu_3O_{7-x}$ 172
– of $REBa_2Cu_3O_{7-x}$ (RE = Nd, Sm, Eu, Dy, Ho, Er) 174
– of $REBa_2Cu_3O_{7-x}$ (RE = Nd, Sm, Eu, Gd, Dy, Ho, Er, Tm, Yb, Lu) 182
– of $REBa_2Cu_3O_7$ (RE = Y, Nd, Sm, Eu, Gd, Dy, Ho) 186
– of $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ 1100
– of $YBa_2Cu_3O_{7-x}$ 334, 1535
– of $YBa_2Cu_3O_{7-x}$ 172
– of $YBa_2Cu_3O_7$ (thin film) 1441
– of $Y_{1-x}Gd_x$–Ba–Cu oxide 180
Magnetic relaxation
– in $YBa_2Cu_3O_{7-x}$ (thin film) 306
Magnetic relaxation (low field) 314
Magnetic superconductors (RE)Rh_4B_4, (RE)Mo_6S_8 and (RE)$Ba_2Cu_3O_7$ 1651
Magnetic susceptibility 9
– of CuO 508
– of $GdBa_2Cu_3O_{7-x}$ 172
– of $HoBa_2Cu_3O_{7-x}$ 172
– of $(La_{1-x}Ba_x)_2CuO_4$ 9
– of $La_{2-x}CuO_{4-y}$ 572
– of La_2CuO_{4-y} 1481
– of $La_{2-x}Sr_xCuO_4$ 572
– of $REBa_2Cu_3O_{7-x}$ (RE = Nd, Sm, Eu, Dy, Ho, Er) 174
– of single crystal $(La_{1-x}M_x)_2CuO_4$ (M = Ba, Sr) 38
– of single crystal $YBa_2Cu_3O_{7-x}$ 38
– of $YBa_2Cu_3O_{7-x}$ 572
– of $YBa_2Cu_3O_{7-x}$ 172
– of $YBa_2Cu_3O_7$ 9
– of $Y_{1-x}Gd_x$–Ba–Cu oxide 180
– of $(Y_{1-x}Gd_x)Ba_2Cu_3O_{7-\delta}$ 178, 182
Magnetic torque of $YBa_2Cu_3O_7$ (single crystal) 1473
Magnetization
– low field 67
– of BiSrCaCuO 359
– of $ErBa_2Cu_3O_{7-x}$ (single crystal) 417
– of $GdBa_2Cu_3O_{7-\delta}$ 1657
– of $La_{1.8}Sr_{0.2}CuO_4$ and $EuBa_2Cu_3O_{7-\delta}$ 1499
– of $REBa_2Cu_3O_7$ (RE = Nd, Sm, Eu) 186
– of single crystal $(La_{1-x}Ba_x)_2CuO_4$ 38
– of $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M = Ni, Zn) 1537

- of $YBa_2Cu_3O_{7-x}$ 359, 391, 1509, 1521, 1565
- of $(Y_{1-x}Gd_x)Ba_2Cu_3O_{7-x}$ 190

Magnetization decay in time, $CeCu_2Si_2$ (powder) 441
Magnetization jumps of $HoBa_2Cu_3O_7$ (single crystal) 1479
Magneto-oscillations in quasi-two-dimensional system (theory) 1179
Magnetocaloric effect of $YBa_2Cu_3O_{7-x}$ 1527
Magnetoresistance
- of $Li_{0.9}Mo_6O_{17}$ (single crystal) 465
- of UBe_{13} 437
- oscillation in $YBa_2Cu_3O_{7-x}$ 1487

Many-body interaction parameter 1217
Mattis–Bardeen fit 1734
Mean field RVB model 1269
Mean field RVB theory 1251
Mean-field theory 538
Mechanism for attractive interaction between holes 1223
Mechanism of high-T_c superconductivity 1207
Meissner effect
- in La_2CuO_4 974
- in $YBa_2Cu_3O_7$ 1469
- in $YBa_2Cu_3O_{7-x}$ (single crystal) 1465

Melt-quenched $YBa_2Cu_3O_{7-x}$ 381
Memory of magnetic field 67
Metal-deuterides, PdD 467
Metal-hydrides, PdH 467
Metallo-organic deomposition 387
Metallurgy of $YBa_2Cu_3O_7$ 1574
MgO (crucible) 44
Micro-twin 59
Microbridges 1598
Microstructure 369
- of $BiSrCaCu_2O_x$ 994
- of $GdBa_2Cu_3O_{7-x}$ 304
- of $YBa_2Cu_3O_{7-x}$ 294, 304, 361

Microtwinning of $REBa_2Cu_3O_{7-x}$ 586
Microwave 1604
Microwave absorption
- in ceramics of $La_{1.85}Ba_{0.15}CuO_4$ 56
- in ceramics of $La_{2.8}Sr_{0.2}Cu_2O_7$ 56
- in ceramics of $YBa_2Cu_3O_{7-x}$ 56
- in single crystal $YBa_2Cu_3O_{7-x}$ 56
- of $PbMo_6S_8$ 633
- of $YBa_2Cu_3O_{7-x}$ 1431
- of $YBa_2Cu_3O_{7-x}$ (bulk, thin film) 745
- of $YBa_2Cu_3O_7$ (single crystal, ceramics) 510

Microwave bridge 1667
Microwave impedance of $YBa_2Cu_3O_x$ 635
Microwave SQUID 1403
Microwave surface inpedance 1335
Mixed state
- of $La_{1.85}Sr_{0.15}CuO_4$ 1127
- of $YBa_2Cu_3O_7$ 1127

Mixed valence for high-T_c superconductors 1229
Mixed-valent copper oxides 1297
Mixed valent Cu(II)–Cu(III) 3
Molecular beam epitaxy 407
Monte-Carlo method 59, 543
Montgomery method 1072
$(Mo_{0.6}Ru_{0.4})_{0.85}B_{0.15}$ 471
Mössbauer effect
- in $REBa_2Cu_{3(1-x)}Fe_{3x}O_y$ (RE = Y, Gd) 860
- in $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ 1100

Mössbauer spectra
- of $GDBa_2Cu_3O_{7-x}$ 1541
- of $(RE)Ba_2Cu_3O_{7-x}$ (RE = Eu, Gd, Yb) 1543
- of $YBa_2(Cu_{0.94}Fe_{0.06})_3O_{7-x}$ 1539
- of $YBa_2(Cu_{0.99}Fe_{0.01})_3O_{7-x}$ 1539

Mössbauer spectroscopy
- of $EuBa_2Cu_3O_{7-x}$ 1549
- of ^{57}Fe, ^{119}Sn in La_2CuO_{4-y} 1555
- of ^{57}Fe in $YBa_2Cu_3O_{7-x}$ 1563
- of $GdBa_2Cu_3O_{7-x}$ 1547
- of $YBa_2(Cu_{1-x}Fe_x)_3O_y$ 966
- of $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ 1551
- of $YBa_2Cu_{2.875}Fe_{0.125}O_{7-x}$ 1557
- of $YBa_2Cu_{2.985}Fe_{0.015}O_{7-x}$ 1553
- of $YBa_2Cu_3O_y$ 1561

Multiband effect for high-T_c superconductivity 1659
Multiband superconductors 1209
Multicomponent order parameter 695
Multigap 1209
Multilayers
- normal metal 1702
- of Nb and $Nb_{0.6}Ti_{0.4}$ 473

Muon spin rotation, *see* μSR
μSR
- in $BaCuO_2$ 168
- in $CeCu_{2.1}Si_2$ 455
- in CuO 168
- in $Eu_{0.75}Sn_{0.25}Mo_6S_{7.6}Se_{0.4}$ 751
- in $GdBa_2Cu_3O_{7-x}$ 1541
- in $HoBa_2Cu_3O_{7-x}$ 767
- in La_2CuO_{4-y} (powder, single crystal) 769
- in $La_2NiO_{4+\delta}$ 1111
- in $La_{1.85}Sr_{0.15}CuO_4$ 753, 755, 1127
- in $La_{2-x}Sr_xCuO_4$ 1111
- in $ReBa_2Cu_3O_x$ (RE = Y, Ho) 761
- in $SnMo_6S_4Se_4$ 751
- in $YBa_2Cu_3O_x$ 166, 759
- in $YBa_2Cu_3O_{7-x}$ 71, 753, 763
- in $YBa_2Cu_3O_7$ 757, 765, 1127
- in Y_2BaCuO_5 168
- theory 691

μSRin $GdBa_2Cu_3O_x$ 166

Nanocrystals of $EuBa_2CuO_{7-x}$ 495
$Nb_{3.25}(Al_{0.8}Ge_{0.2})$ 1397
$Nb_{1-x}Al_xN$ (thin film) 469
NbN (thin film) 469
$Nd_{1+x}Ba_{2-x}Cu_3O_{7+y}$ 950
$Nd_{1-x+y}Ca_xBa_{2-y}Cu_3O_{7-\delta}$ 930
Nearly filled two-dimensional Hubbard model 1299
Negative-U Hubbard model in $La_{2-x}M_xCuO_4$ (M = Ba, Ca, Sr) 219
Neutral oxygen 1319
Neutral oxygen O^0 model 1319
Neutron diffraction
- of $Bi_2Sr_2CaCu_2O_8$ 623
- of $DYBa_2Cu_3O_7$ 161
- of $HoBa_2Cu_3O_{6.8}$ 161
- of $LaBa_2Cu_3O_y$ 964
- of $La_2NiO_{4+\delta}$ 1111
- of $La_{2-x}Sr_xCuO_4$ 1111
- of $YBa_2Cu_3O_{6+x}$ (single crystal) 1115

Neutron irradiation effect
- on $ErBa_2Cu_3O_x$ 337
- on $LaBa_2Cu_3O_x$ 337
- on La_2CuO_4 337
- on T_c 343
- on $YBa_2Cu_3O_x$ 337
- on $YBa_2Cu_3O_7$ 343
- on $Y_{1.2}Ba_{0.8}CuO_x$ 343

Neutron irradiation (fast) effect
- on H_{c2} 345
- on T_c 345
- on Y–Ba–Cu–O 347
- on $YBa_2Cu_3O_7$ 345

Neutron scattering
- in $HoBa_2Cu_3O_{7-x}$ 164
- in La_2CuO_4 527
- in La_2CuO_4 (single crystal) 515
- in $La_{2-x}Sr_xCuO_4$ 1655
- in $YBa_2Cu_3O_{7-x}$ 300, 1655
- in $YBa_2Cu_3O_6$ (single crystal) 192

New high-T_c compounds
- $BiSrCaCu_2O_x$ 602
- $Bi_2Sr_{3-x}Ca_xCu_2O_{8+\delta}$ 608
- $Bi_4Sr_3Ca_2Cu_4O_x$ 602
- $Bi_4Sr_3Ca_3Cu_6O_x$ 602
- $La_{2-x}K_xCuO_4$ 608
- $La_{2-x}Na_xCuO_4$ 608

- Tl–Ca–Ba–Cu–O 608

NMR
- of α-(BEDT–TTF)$_2$I$_3$ 493
- of α_t-(BEDT–TTF)$_2$I$_3$ 493
- of (BEDT–TTF)$_2$Cu(NCS) 487
- of β-(BEDT–TTF)$_2$I$_3$ 493
- of GdBa$_2$Cu$_3$O$_y$ 731
- of La$_2$CuO$_4$ 725
- of La$_{1.85}$Sr$_{0.15}$CuO$_4$ 741
- of RBa$_2$Cu$_3$O$_{7-x}$ (R = Y, Gd) 95
- of superconducting superlattice (theory) 705
- of ^{89}Y in YBa$_2$Cu$_3$O$_{7-x}$ 735
- of Y$_{0.75}$Al$_{0.25}$Ba$_2$Cu$_3$O$_7$ 91
- of YBa$_2$Cu$_3$O$_y$ 731
- of YBa$_2$Cu$_3$O$_{7-x}$ 75, 79, 83, 91, 741, 763

Noise figures 1569

Non-bulk superconductivity of YBa$_2$(Cu$_{1-x}$Fe$_x$)$_3$O$_{7-x}$ 1078

Nonergodic lattice dynamics (theory) 237

Nonlinear Cu–O chain in YBa$_2$Cu$_3$O$_x$ 962

Nonlinear microwave response of YBaCuO 659

Nonlinear σ-model, two-dimensional 103

Nonmagnetic impurity effect on T_c 1185

Nonresonant microwave absorption (theory) 308

Normal-state NMR 527

Normal-state properties of Bi$_{2.2}$Sr$_2$Ca$_{0.8}$Cu$_2$O$_{8+\delta}$ (single crystal) 1062

Normal-state tunneling 527

Normask: differential interference contrast microscope 1072

NQR
- of Cu in YBa$_2$Cu$_3$O$_{7-x}$ 737
- of GdBa$_2$Cu$_3$O$_y$ 731
- of La in (La$_{1-x}$Sr$_x$)$_2$CuO$_4$ 11
- of (La$_{1-x}$Ba$_x$)$_2$CuO$_4$ 733
- of La$_2$CuO$_4$ 725
- of La$_{1.85}$Sr$_{0.15}$CuO$_4$ 741
- of RBa$_2$Cu$_3$O$_{7-x}$ (R = Y, Gd) 95
- of YBa$_2$Cu$_3$O$_y$ 731
- of YBa$_2$Cu$_3$O$_{7-x}$ 75, 79, 87, 741, 763
- of YBa$_2$Cu$_3$O$_{7-x}$ (sample dependence) 739

Numerical simulations 59

On-chip interconnections 1049

One-dimensional charge transfer excitation 1167

One-dimensional electron gas 531

Optical absorption 1748

Optical absorption (line shape)

Optical absorption (line shape) for BaBiO$_3$ 693

Optical absorption (reflection) spectra of YBa$_2$Cu$_3$O$_{7-x}$ (single crystal thin film) 661

Optical reflectance of MBa$_2$Cu$_3$O$_{7-\delta}$ 643

Optical reflection from YBa$_2$Cu$_3$O$_{7-x}$ (single crystal) 1677

Optical reflection spectra
- of EuBa$_2$Cu$_3$O$_{7-x}$ 1752
- of La$_{2-x}$Sr$_x$CuO$_4$ (single crystal film) 651
- of YBa$_2$Cu$_3$O$_{7-x}$ 1752

Optical reflectivity
- of CuO 657
- of (La, Sr)$_2$MO$_4$ (M = Cu, Ni, Fe) 655
- of La$_2$CuO$_4$ 657
- of La$_{1.85}$Sr$_{0.15}$CuO$_4$ 657
- of NaCuO$_2$ 657
- phonon contribution
  - (La$_{1-x}$Ba$_x$)$_2$CuO$_4$ (epitaxially grown single crystal) 11
  - (La$_{1-x}$Sr$_x$)$_2$CuO$_4$ 11
- plasma edge
  - of (La$_{1-x}$Ba$_x$)$_2$CuO$_4$ 11
  - of YBa$_2$Cu$_3$O$_7$ 11

Optical transmission dichroism 1748

Optically resolved critical current density 1159

Optimization of YBa$_2$Cu$_3$O$_{7-x}$ 1078

Orbital degenerated Hubbard model 1295

Order–disorder transition
- in YBa$_2$Cu$_3$O$_{7-x}$ (Monte Carlo calculation) 257
- in YBa$_2$Cu$_3$O$_{7-x}$ (theory) 251

Organic charge transfer salts 1055

Organic superconductor (BEDT–TTF)$_2$Cu(NCS) 487

Organic superconductor (BEDT–TTF)$_2$Cu(NCS)$_2$ (single crystal) 1148

Organic superconductors
- α_t-(BEDT–TTF)$_2$I$_3$ 491

Orthorhombic–tetragonal transition of LuBa$_2$Cu$_3$O$_4$ 11

Orthorhombic–tetragonal transitions in YBa$_2$(Cu$_{1-x}$Fe$_x$)$_3$O$_y$ 966

Oxalate coprecipitation 387

Oxide perovskites ABO$_3$ compounds 1762

Oxygen beam assisted deposition 1690

Oxygen content
- of YBa$_2$(Cu$_{1-x}$M$_x$)$_3$O$_{7-\delta}$ (M = Fe, Co, Ni, Zn, Ga) 1105
- of YBa$_2$Cu$_3$O$_{7-x}$ 826, 1367

Oxygen deficiency
- in YBa$_2$Cu$_3$O$_{7-x}$ 560, 846

Oxygen desorption 822

Oxygen diffusion in YBa$_2$Cu$_3$O$_7$ (calculation) 834

Oxygen distribution in single crystals YBa$_2$Cu$_3$O$_{6.8}$ 844

Oxygen kinetics of YBa$_2$Cu$_3$O$_{7+x}$ (theory) 848

Oxygen nonstoichiometry 3

Oxygen ordering in YBa$_2$Cu$_3$O$_{7-x}$ 854, 912

Oxygen stoichiometry 590

Oxygen vacancy ordering 598
- of YBa$_2$Cu$_3$O$_{7-x}$ 578, 582

Packing interconnections 1049

Pair breaking in heavy-fermion superconductors 449

Pairing mechanism 1247
- of YBa$_2$Cu$_{1-x}$M$_x$)$_3$O$_{7-\delta}$ (M = Ti, Cr, Mn, Fe, Co, Ni, Zn) 215

Paraconductivity of YBa$_2$Cu$_3$O$_7$ (single crystal) 1072

Paramagnetic magnetization of HoBa$_2$Cu$_3$O$_7$ 1479

Partial thermodynamic functions of YBa$_2$Cu$_3$O$_{6.5+x}$ 838

Passive components 1598

Peierls instability 212

Penetration depth 1471, 1491, 1525, 1604, 1617
- of CeCu$_2$Si$_2$ 439
- of UPt$_3$ 439
- of YBa$_2$Cu$_3$O$_{7-x}$ 1493
- of YBa$_2$Cu$_3$O$_7$ 757
- of YBa$_2$Cu$_3$O$_7$ (fine particle) 1489
- theory 715, 1625

Periodic Anderson model 709

Periodic two-dimensional cluster of Heisenberg model 1259

Perovskite superconductors 3

Peroxide in YBa$_2$Cu$_3$O$_7$ 836

Phae diagram of BaO–Y$_2$O$_3$–CuO–O system 44

Phase diagram
- of BaCuO$_2$–YBa$_2$Cu$_3$O$_{6.5}$–YCuO$_5$ 377
- of (La$_{1-x}$Ba$_x$)$_2$CuO$_4$ 733
- of La$_{2-x}$Sr$_x$CuO$_{4-y}$ 968
- of Y–Ba–Cu–O 371, 379
- of YBa$_2$Cu$_3$O$_x$ 590
- of YBa$_2$Cu$_3$O$_z$–O$_2$ 598
- of YBa$_2$Cu$_3$O$_{7\pm x}$–O$_2$ (high-pressure O$_2$) 401

- of $YBa_2Cu_3O_{6+x}$ (single crystal) 1115
- of YBCO–BaO–CuO 431
Phase fluctuations in disordered superconducting films 1708
Phase transition to RVB state 1261
Phenomenological theory 673
- of superconducting phase diagram of $U_{1-x}Th_xBe_{13}$ 719
Phonon density of states
- in $La_{1.85}Sr_{0.15}CuO_4$ 1067
- in $MBa_2Cu_3O_{7-x}$ (M = Y, $Y_{0.5}Pr_{0.5}$, Nd) 272
- in $YBa_2Cu_{2.55}Co_{0.45}O_7$ 282
- in $YBa_2Cu_3O_x$ 282
- in $YBa_2Cu_3O_6$ 1067
- in $YBa_2Cu_3O_{7-x}$ 300
- in $YBa_2Cu_3O_7$ 274, 1067
- in $YBa_2(Cu_{0.9}Zn_{0.1})_3O_7$ 274
Phonon density of states by Jahn–Teller effect 198
Phonon dispersion curves in La_2NiO_4 276
Phonon dispersion in La_2NiO_4 1067
Phonon–exciton mechanism for $La_{1.85}Sr_{0.15}CuO_4$ 227
Phonon mechanism 235
Phonon mechanism (strong coupling) 162
Phonon shift due to superconductivity in $YBa_2Cu_3O_{7-x}$ 1279
Phonon spectra of $YBa_2Cu_3O_7$ (theory) 198
Phonons in high-T_c superconductors 1067
Phonons (theory) in $YBa_2Cu_3O_7$ 210
Pinning force, microscopic 1121
Planar defects 1653
Planar junctions 1712
Plasma CVD method 784
Plasmon and phonon mechanism 1327
Plasmon in La_2CuO_4 637
Plasmon mechanism 1313
Point contact DC SQUID 1415, 1586
Point contact electron tunneling 1377
Point contact tunneling 1712
- of $BiCaSrCu_2O_x$ 621
- of $Cu(Ag)/Y(Sm)Ba_2Cu_3O_{7-x}$ 1387
- of Mo (Al)/La–Sr–Cu–O (Y–Ba–Cu–O) 1389
- of $RBa_2Cu_3O_{7-x}$ (M = Y, La, Eu) 1381
Point contact tunneling, $W/YBa_2Cu_3O_{7-x}$ (single crystal) 1377
Polarizability model 1325
Polarized Cu L_3 XAS spectra of $YBa_2Cu_3O_{6.9}$ (single crystal) 1760
Polarized reflection spectrum of $EuBa_2Cu_3O_{7-x}$ (single crystal) 653
Polaronic holes pairing 1673
Polaronic superconductor 1517
Polycrystalline SQUID 1685
Poralyzed Y–Ba–Cu–O (thin film) 1679
Porosity of $YBa_{2-x}Ak_xCu_3O_{7-\delta}$ (Ak = Li,Na,K,Cs) 1351
Positron annihilation spectroscopy
- of La_2CuO_4 157
- of $YBa_2Cu_3O_{7-x}$ 111, 155
- of $YBa_2Cu_3O_7$ 157
- of $YBa_2Cu_3O_{7-x}$ (single crystal) 129
- theory 157
Positron lifetime of $YBa_2Cu_3O_{7-x}$ 155
Possible pairing interactions 1769
Potential induced breathing model 202
Powder metallurgy 1574
$PrBa_2Cu_3O_4$ 942
Preparation
- of $(RE)Ba_2Cu_3O_{7-x}$ 1421
- of $YBa_2Cu_3O_{7-x}$ 351
- of $YBa_2Cu_3O_{7+x}$ from melts under high pressure of O_2 830
Preparation processes for thin film 1696
Preparation technique
- arc melting 405
- $Bi_2Sr_2CaCu_2O_8$ 566
- DC sputtering 774
- electron beam evaporation 771
- epitaxial growth 407
- for high-T_c oxide and silver composites 1161
- La_2CuO_4 566
- laser melting 405
- melt-spun ribbons of $YBa_2Cu_3O_7$ 383
- molecular beam epitaxy 407
- of Bi–Sr–Ca–Cu–O 363
- of $Bi_2Sr_{3-x}Ca_xCu_2O_y$ 395
- of $EuBa_2Cu_3O_{7-x}$ 840
- of $REBa_2Cu_3O_x$ 373
- of $YBa_2Cu_3O_{7-x}$ 361, 365, 371, 375, 387, 389, 840
- of $YBa_2Cu_3O_7$ 363, 566
- of $YBa_2Cu_3O_{7-x}$ (from the melt) 397
- of $YBa_{2-x}Sr_xCu_3O_{7-\delta}$ 395
- of $YBa_{2-x}Y_xCu_3O_{7+\delta}$ 395
- oxidation of microcrystalline alloys 840
- solid state ionic technique 590
- thick film 385
Preparation technique of $ReBa_2Cu_3O_{7-x}$ (RE = Y, La, Gd, Tm, Yb) 1663
Pressure effect on T_c
- in $Bi_9Ca_5Sr_9Cu_{17}O_x$ 858
- in $La_{2-x}Sr_xCuO_{4-y}$ 968
- in M–Ba–Cu–O solid solutions (M = Y, Eu, Ho) 918
Pt (crucible) 44

Quadrupolar Kondo effect 1642
Quantum chemistry of high-T_c superconductors 1165
Quantum frustration in Hubbard model 1277
Quantum oscillations
- in high-T_c superconductors (theory) 1179
- of $(BEDT–TTF)_2Cu(NCS)_2$ 1148
Quantum spin liquid 543, 555
- of La_2CuO_4 single crystal 11
Quasi-low-dimensionality 1610
Quasi-one-dimensional superconductor $Tl_2Mo_6Se_6$ (single crystal) 459
Quasi-one-dimensional system 1055
Quasi-particle tunneling 1718
Quasi-two-dimensional Bose gas 1197
Quenching effect on $REBa_2Cu_3O_{7-x}$ (RE = Nd, Sm, Eu, Dy, Ho, Er) 174

Raman scattering
- anisotropy 147
- in $BaCuO_2$ 296
- in CuO 296
- in $MBa_2Cu_3O_7$ (M = Y, Eu) (pressure effect) 264
- in $YBa_2Cu_3O_{7-x}$ 296
- in Y_2BaCuO_5 296
- in YBaCuO (ceramics, sputtered films, single crystal) 292
- in $YBa_2Cu_3O_{7-x}$ (single crystal) 147, 286, 1133
- in $YBa_2Cu_3O_7$ (single crystal) 262
- (polarized) in $YBa_2Cu_3O_x$ (single crystal) 290
Raman spectroscopy
- in Bi–Sr–Ca–Cu–O 886
- in $BiSrCaCu_2O_x$ 627
- in $Y(Ba_{1-x}Ca_x)_2Cu_3O_{7-\delta}$ 886
- in $YBa_2Cu_3O_{7-x}$ 647, 833

- in $YBa_2Cu_3O_7$ (thin film) 1451
- in $YBa_2Cu_3O_{7-\delta}$ (untwinned single crystal) 1756
- in $YBa_2Cu_{3-x}Zn_xO_{7-\delta}$ 833

Rapid quenching 385
Rapid solidification processing 369
Reaction with water and CO_2 1598
Reactive magnetron sputtering 520
Real space pairing 1267
Real space renormalization group 1231
$REBa_2Cu_{3(1-x)}Fe_{3x}O_y$ (RE = Y, Gd) 860
$REBa_2Cu_3O_{7-x}$ (RE = Y, Sc, Eu, Tm, Ho, Gd, Yb, Nd) 842
$REBa_2Cu_3O_{7-x}$ ($RE = Y_{1-x}Ho_x$) 1040
(RE)$Ba_2Cu_3O_7$ single crystal film (RE = Y, Eu, Ho), prepared by laser evaporation 1455
Reflectivity
- of $YBa_2Cu_3O_{7-\delta}$ ($\delta = 0.1$, 0.3. 0.8) 1740
- theory 715

Relaxation effect 1078
- on specific heat of $YBa_2Cu_3O_7$ 1086

Relaxation of magnetization 67
Renormalized band 1171
$(RE)_4Os_4Si_{13}$ (β') 485
$(RE)_4Os_4Si_{15}$ (β') 485
$(RE)_5Os_4Si_{15}$ (RE = Gd, Tb, Dy, Ho, Er, Tm, Y) 485
Resistivity
- (high temperature) of $YBa_2Cu_3O_{7-x}$ 1349
- of $(BEDT\text{-}TTF)_2Cu(NCS)_2$ (under pressure) 1148
- of $Bi_{2.2}Sr_2Ca_{0.8}Cu_2O_{8+\delta}$ (single crystal) 1062
- of CuO 508
- of La_2CuO_{4-y} (single crystal) 1481
- of $Li_{0.9}Mo_6O_{17}$ (single crystal) 465
- of single crystal, Bi–Sr–Ca–Cu–O system 11
- of $YBa_2Cu_3O_7$ (thin film) 520
- of $Y_2Ba_4Cu_8O_{20-x}$ (thin film) 520

RF sputtering 1439
- substrate, single crystal zirconia 1441

RF SQUID 1407, 1569
- high-T_c 1403, 1405

RF surface resistance 1604
Rutherford back scattering spectroscopy (RBS) 1679
RVB 1249, 1630
RVB model 1257
RVB state 1551
RVB theory 527, 531, 543, 1769

SAM of $YBa_2Cu_3O_{7-x}$ 133
Sample dependence
- of lattice parameters of $YBa_2Cu_3O_{7-x}$ 1513
- of magnetic susceptibility of $YBa_2Cu_3O_{7-x}$ 1513
- of specific heat of $YBa_2Cu_3O_{7-x}$ 1513

Sapphire (crucible) 1431
Scanning Auger electron microscopy, *see* SAM
Scanning electron microscopy, *see* SEM
Scanning tunneling microscopy, *see* STM
$ScBaCuO_{3.5}$ 864
Screen-printed YBCO 399
Screening current distribution 330
Segregation in $YBa_2Cu_3O_{7-x}$ (thin film) 1435
Self-consistent band calculation of $YBa_2Cu_3O_5X$ (X = O, F, N) 123
SEM 1159
- of $EuBa_2Cu_3O_{7-x}$ 1000
- of $YBa_2Cu_3O_{7-x}$ 200

Sensitive detection method of superconductivity 1667
Sheathed $YBa_2Cu_3O_7$ wires 1574
Short coherence length superconductor 15
Short-range resonating-valence bond 531
Single-band effective Hamiltonian 1221
Single crystal 1461, 1469
Single-crystal growth
- (large scale) fo $YBa_2Cu_3O_7$ 413
- of Bi–Sr–Ca–Cu–O system 38
- of Bi–Sr–Cu–O system 38
- of $(La_{1-x}M_x)_2CuO_4$ (M = Ba, Sr) 38
- of $(La_{1-x}Sr_x)_2CuO_{4-\delta}$ 425
- of $LnBa_2Cu_3O_{7-x}$ (Ln = Y, Gd, Dy, Yb) 409
- of $PrBa_2Cu_3O_7$ (twin-free) 423
- of $YBa_2Cu_3O_{7-x}$ 32, 38, 44, 419, 425, 427, 431, 1675
- of $YBa_2Cu_3O_7$ 415, 421, 429, 1072
- of $YBa_2Cu_3O_{7-x}$ (orthorhombic) 26
- of $YBa_2Cu_3O_{7-x}$ (tetragonal) 26
- of $YBa_{2-x}Sr_xCu_3O_{7-y}$ 1675
- stability of $YBa_2Cu_3O_{7-x}$ 44

Single-domain single crystals of $YBa_2Cu_3O_7$ 1072
Single grain boundary SQUID 1685
Singlet–triplet excitations 1247
Slope of H_{c2} 703
Small angle neutron scattering 1651
Small bipolaron (theory) 214
Small particles of $YBa_2Cu_3O_{7-x}$ 984, 986
Small polaron 208
$SmBa_2Cu_3O_{7-x}$ 1555
Soft modes 245
Soft X-ray emission spectra (Cu 3d) of $MBa_2Cu_3O_{7-x}$ (M = Y, Eu, Er) 125
Solid state ionic technique for $YBa_2Cu_3O_x$ 590
Solution technique 566
Sound velocity
- of high-T_c superconductor 1016

Specific heat
- at T_c
  - of $ErBa_2Cu_3O_7$ 11
  - of $HoBa_2Cu_3O_7$ 11
  - of $(La_{1-x}Sr_x)_2CuO_4$ 11
  - of $YBa_2Cu_3O_7$ 11
- fluctuation effect 1681
- of $BaCuO_{2+x}$ 1038
- of CuO 1038
- of $GdBa_2Cu_3O_{7-x}$ 1515
- of $GdBa_2Cu_3O_6S$ 914
- of $Gd_xEu_{1-x}Ba_2Cu_3O_{7-x}$ 188
- of heavy-fermion compounds 1728
- of high-T_c superconductor 1016
- of La_2CuO_4 1034
- of $La_{2-x}Sr_xCuO_4$ 1655
- of $LnBa_2Cu_3O_{7-x}$ (Ln = Y, Gd, Ho) 1024
- of $PbMo_6S_8$ 461
- of $REBa_2Cu_3O_7$ (RE = Er, Yb, Dy, Gd, Ho, Tm) 1018
- of $REBa_2Cu_3O_{7-x}$ (RE = Pr, Nd, Tm, Tb) 184
- of $SmBa_2Cu_3O_{7-x}$ 1030
- of UBe_{13} 437
- of $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ 1078, 1100
- of $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M = Zn, Fe) 1032
- of $YBa_{1.3}Cu_{4.2}O_{7-x}$ 1022
- of YBa_2CuO_5 1038
- of $YBa_2Cu_3O_{6.9}$ 960
- of $YBa_2Cu_3O_{7-x}$ 876, 1006, 1008, 1022, 1026, 1034, 1036, 1078, 1655
  - in magnetic fields 1012
  - preparation dependence 1008

- of $YBa_2Cu_3O_7$ 1020, 1038, 1086
- of $YBa_3Cu_2O_7$ 1078
- of Y_2BaCuO_5 1078
- of $YBa_2Cu_3O_7$ (in magnetic fields) 1092
- of $YBa_2Cu_3O_{7-x}$ (single crystal) 1082
- of $YBa_2Cu_3O_7$ (two transitions) 1089
- of $Ce(Cu_{1-x}Ag_x)_6$ 443

Specific heat effect
- of fluctuations (theory) 241
- of irradiation 339
- of twinning 681

Specific heat jump ΔC (G–L theory) 1617
Spin 1/2 doped Mott insulator 1257
Spin correlation
- in La_2CuO_4 (single crystal) 515
- of Heisenberg antiferromagnet with $S = 1/2$ 1285

Spin density wave, *see* SDW
Spin-dependent energy gap 1072
Spin fluctuations 1317
Spin glass 876
- behavior 15
- of high-T_c superconductors 56

Spin–lattice relaxation time T_1
- of La 727
- of La_2CuO_4 725, 727
- of $La_{1.8}Sr_{0.2}CuO_4$ 727
- of $La_{1.85}Sr_{0.15}CuO_4$ 741
- of $YBa_2Cu_3O_{7-x}$ 75, 79, 83, 87, 741

Spin-mediated mechanism for high-T_c superconductivity 1213
Spin–Peierls states 1253
Spin-polarized band structure calculations in La_2CuO_4 1237
Spin-polarized total energy band structure calculations in $La_{2-x}Sr_x$-CuO_4 1235
Spin–spin relaxation time T_2
- in $YBa_2Cu_3O_{7-x}$ 75, 737

Spinons 527, 1630
Spiral growth step 411
SQUID 1586
SQUID magnetometry 1569
Sr–Bi–Ca–Cu–O 499
$Sr_2Bi_2Cu_2O_7$ 499
Sructural phase transition in La–Sr–Cu–O (theory) 233
STM
- of $EuBa_2Cu_3O_{7-x}$ 1000
- of $YBa_2Cu_3O_{7-x}$ 1004
- of $YBa_2Cu_3O_7$ (single crystal) 996

Stongly disordered system 697
Strong correlations 1175, 1630
Strong coupling 1279
Strong coupling effect
- in $YBa_{1.3}Cu_{4.2}O_{7-x}$ 1022
- in $YBa_2Cu_3O_{7-x}$ 1022

Strong coupling theory 245, 1625
Strong electron correlations 1769
Strong enhancement of electron–phonon interaction 239
Strongly correlated electron system 1283
Strongly correlated Fermi liquid 1193
Strongly correlated fermions 1169
Structural anomaly in $YBa_2Cu_3O_x$ 962
Structural defects 1241
Structural instability 194
Structural phase transition
- in La_2CuO_4 (theory) 253
- of La_2CuO_4 974
- of $La_{1.85}Sr_{0.15}CuO_4$ 974
- of $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M = Zn, Fe) 1032
- of $YBa_2Cu_3O_{7-x}$ 978

Structural properties
- of $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ 1100

Structure
- of $(BEDT\text{–}TTF)_2Cu(NCS)_2$ (single crystal) 1148
- of Bi compounds 602
- of $Bi_2Sr_2CaCu_2O_8$ 623
- of $La_{1+x}Ba_{2-x}Cu_3O_y$ 964
- of $YBa_2Cu_{2.77}Fe_{0.23}O_{7.13}$ 582
- of $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M = Fe, Co, Ni, Zn, Ga) 1105
- of $YBa_2Cu_3O_{7-x}$ 956
- of $Y_2Ba_4Cu_8O_{20-x}$ (thin film) 520
- of $YBa_2Cu_3O_y$ (under high pressure and high temperature) 976

Structure and superconductivity of Y-$Ba_2Cu_3O_{7-x}$ 980
Structure and T_c 950, 952
Structure of $YBa_2Cu_3O_x$ ($x = 6$–7) 1671
Substitution 870
Substitution effects 1665
- in $Bi_xSrCaCu_2O_y$ 904
- in $BiSrCaCu_xO_y$ 904
- in $BiSr_{2-x}Ca_xCu_3O_7$ 904
- in $La_{1.85}Sr_{0.15}Cu_{1-x}M_xO_{4-y}$ (M = Ni, Zn, Fe, Co, Al) 896
- in $Sc_xY_{1-x}Ba_2Cu_3O_{7-\delta}$ 864
- in $YBa_2(Cu_{1-x}Ag_x)_3O_{7-\delta}$ 878, 902
- in $YBa_2(Cu_{1-x}Al_x)_3O_y$ 874
- in $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ 872
- in $YBa_2(Cu_{1-x}In_x)_3O_y$ 874
- in $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M = Fe, Ni, Zn) 862
- in $YBa_2Cu_{3-x}M_xO_{7-y}$ (M = Ni, Zn, Fe, Co, Al) 896
- in $YBa_2Cu_3O_{7-x}F_x$ 902
- in $YBa_{2-x}M_xCu_3O_{7-\delta}$ (M = La, K) 894
- in $YBa_{2-x}M_xCu_3O_{7-\delta}$ (M = Na, K) 904
- in $YBa_{2-x}Sr_xCu_3O_y$ 866
- of Ca in $Y(Ba_{1-x}Ca_x)_2Cu_3O_{7-\delta}$ 886
- of Cd in $YBa_{0.75}Cd_{1.25}Cu_3O_y$ 892
- of Cd in $YBa_{2-x}Cd_xCu_3O_y$ 892
- of Cu in $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M = Fe, Co, Ni, Zn, Ga) 1105
- of Fe in $REBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ (RE = Y, Ho) 888
- of Fe in $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ 880, 890
- of K in $RE(Ba_{1-x}K_x)_2Cu_3O_{7-\delta}$ (RE = Y, Eu) 898
- of Mg in $Y(Ba_{1-x}Mg_x)_2Cu_3O_{7-\delta}$ 884
- of S in $GdBa_2Cu_3O_6S$ 914
- of S in $NdBa_2Cu_3O_6S$ 914
- on $La_{2-x}Na_xCuO_{4-\delta}$ 858
- on $YBa_2Cu_3O_{7-x}$ 858

Substrate 1431
- sapphire 1439
- (100)$SrTiO_3$ 1437
- $SrTiO_3$ (110), (001) 1690
- $SrTiO_3$ single crystal 1455
- ZrO_2, $SrTiO_3$ 1453

Superconducting amorphous film
- $(Mo_{0.6}Ru_{0.4})_{0.85}B_{0.15}$ 471
- $Zr_{0.9}Si_{0.1}$ 471

Superconducting carbides 1173
Superconducting energy gap 1734, 1744
Superconducting fluctuation 639
Superconducting fluctuation conductivity 812
Superconducting glass 15, 310, 328, 334
- of YBaCuO 326
- of $YBa_2Cu_3O_{7-x}$ 320
- of $YBa_2Cu_3O_{7-x}$ (single crystal) 324

Superconducting glass (theory) 711
Superconducting hydrides 1173
Superconducting magnet (solenoid of $YBa_2Cu_3O_{7-\delta}$) 1417
Superconducting–normal (S–N) multilayers 705

Superconducting phase diagram of $U_{1-x}Th_xBe_{13}$ (theory) 719
Superconducting properties
- of $Bi_{2.2}Sr_2Ca_{0.8}Cu_2O_{8+\delta}$ (single crystal) 1062
Superconducting tunneling 527
Superconducting wires of $YBa_2Cu_3O_7$ 1574
Superconductivity
- due to charge fluctuations 131
- fluctuation induced diamagnetism 749
- in CdS:Cl (theory) 685
- in La_2CuO_4 824
- in multilayers 1702
- in UPt_3 1728
- near the atomic limit 1275
- theory 549
Superexchange interaction 1297
Surface current 1604
Surface impedance
- of $La_{1.8}Sr_{0.2}CuO_{7-x}$ 665
- of $YBa_2Cu_3O_{7-x}$ 665
Surface resistance (theory) 715
Surface superconductivity H_{c3} 15
Surface topography of $YBa_2Cu_3O_{7-x}$ 988
Symmetry and structure 717
Symmetry of 3d ^9L state of single crystal $YBa_2Cu_3O_{6.9}$ (single crystal) 1760
Symmetry properties of high-T_c superconductivity 717

T_c
- enhancement 212
- for d-wave 1269
- of $YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M = Fe, Co, Ni, Zn, Ga) 1105
T_c, superconducting transition temperature (theory) 194, 1165
Takahashi–Tachiki effect 473
TEM 381
- of $YBa_2Cu_3O_{7-x}$ 1653
Tetragonal–orthorhombic transition in $La_{2-x}Sr_xCuO_{4-y}$ 968
Tetragonal $YBa_2(Cu_{0.95}Fe_{0.05})_3O_7$ 972
TGA analysis of $YBa_2Cu_3O_x$ 958
Theory
- of high-T_c superconductivity 99
- - based on lattice vibrations (phonons) 21
- - charge fluctuations (excitons, plasmons) 21
- - spin fluctuations (antiparamagnons, spin polarons, spin bags) 21
- of high-T_c superconductivity due to highly anharmonic oxygen vibration (polar model) 99
- of high-T_c superconductors (RVB theory) 21, 527
Theory of proximity effect 1702
Thermal conductivity
- of $GdBa_2Cu_3O_{7-y}$ 1515
- of high-T_c superconductor 1016
- of La_2CuO_4 1034
- of UBe_{13} 437
- of URu_2Si_2 457
- of $YBa_2Cu_3O_{7-x}$ 1010, 1014, 1034, 1347
Thermal CVD method 784
Thermal cycling effect on T_c 1559
Thermal excitation spectra 1655
Thermal expansion
- of $GdBa_2Cu_3O_7$ 1028
- of La_2CuO_4 974
- of $La_{1.85}Sr_{0.15}CuO_4$ 974
- of URu_2Si_2 457
- of $YBa_2Cu_3O_{7-x}$ 828, 1010, 1419
- of $YBa_2Cu_3O_{7-x}$ (room temperature) 1006
Thermal properties
- of $LnBa_2Cu_3O_{7-x}$ (Ln = Y, Gd, Ho) 1024
Thermodynamical critical field H_c 699, 1020, 1625
Thermodynamical fluctuations 1371
Thermodynamical properties of local pair superconductivity 1203
Thermodynamics of oxygen ordering in $YBa_2Cu_3O_x$ 598
Thermoelectric power
- of $EuBa_2Cu_3O_x$ ($6 \leqslant x \leqslant 7$) 9
- of $(La_{1-x}Ba_x)_2CuO_4$ 9
- of $LaNi_{1-x}Co_xO_3$ 1331
- of $Li_{0.9}Mo_6O_{17}$ (single crystal) 465
- of $YBa_2Cu_3O_{7-x}$ 1345, 1349
- of $YBa_2Cu_3O_7$ 9
- of $YBa_2Cu_3O_{7-x}$ (single crystal) 1357
- of $YBa_2Cu_3O_7$ (single crystal) 1072
- of $YBa_2Cu_3O_7$ (thin film) 520
- of $Y_{1-x}Pr_xBa_2Cu_3O_7$ 910
Thick films 385
ThO_2 (crucible) 44
Tight-binding model 204
Time-dependent magnetization 306
- of β-$(BEDT-TTF)_2I_3$ 1153
- of $GdBa_2Cu_3O_{7-x}$ 310
- of $YBa_2Cu_3O_{7-x}$ 334
- of $YBa_2Cu_3O_7$ 332
Time resolved neutron powder diffraction 1671
$Tl_2CaBa_2Cu_2O_{8+\delta}$ 1138
$Tl_2Ca_2Ba_2Cu_3O_{10+\delta}$ 1138
$Tl_2Mo_6Se_6$ (single crystal) 459
TMTSF salts 1055
$Tm_{0.75}V_{0.25}Ba_2Cu_3O_{7-x}$ 842
Topological excitations 21
Torque measurements of $YBa_2Cu_3O_{7-x}$ 1505
Transport critical current density T_c 1696
Transport critical current of $REBa_2Lu_3O_7$ 1580
Transport properties
- of $Li_{0.9}Mo_6O_{17}$ (single crystal) 465
- of $YBa_2Cu_3O_{7-x}$ (single crystal) 1357
- of $YBa_2Cu_3O_7$ (single crystal) 1072
Trapped magnetic flux of $YBa_2Cu_3O_{7-x}$ (single crystal) 1359
Tunnel junctions 1598
- $Al/AlO_x/Cu$ 1708
Tunneling
- in $YBa_2Cu_3O_7$ (single crystal) 1072
- of $Bi_4Sr_3Ca_3Cu_4O_{16+y}$ 896
- spectroscopy of high-T_c superconductors 1712
Tunneling conductance of $YBa_2Cu_3O_7$ (single crystal) 1072
Twin boundaries 15, 1681
- non-superconducting 15
Twin boundary superconductivity (theory) 1201
Twin plane superconductivity (in small particles) 984
Twinning 681
- {100}/⟨110⟩ twins in $La_{2-x}Sr_xCuO_4$ 970
- {100}/⟨110⟩ twins in $YBa_2Cu_3O_{7-x}$ 970
- in $HoBa_2Cu_3O_{7-x}$ (by electron microscopy) 990
- in $YBa_2Cu_3O_{7-x}$ 44, 582
- theory 1201
Twinning plane superconductivity of $REBa_2Cu_3O_{7-x}$ 681
Twinning textures of $HoBa_2Cu_3O_{7-x}$ 990
Twins in $YBa_{2-x}Sr_xCu_3O_y$ 866
Two-band Hubbard model 1217, 1227
Two-band model 701
Two-band RVB 1263
Two-band superconductors 1183

Two-dimensional band 235
Two-dimensional hole pairing 215
Two dimensional Hubbard model 1630
Two-dimensional Hubbard model (Monte Carlo) 229
Two-dimensional Ising model for $La_{2-x}CuO_{4-y}$ 1289
Two-dimensional Ising system 188
Two-dimensional Josephson junction (Monte Carlo) 312
Two-dimensional Peierls–Hubbard model 231
Two-dimensional quantum fluid 527
Two-hole RF SQUID 1411
Two-magnon Raman scattering 527
Two-sublattice model 1191

UBe_{13} 437, 1642
Ultra low field magnetization of $YBa_2Cu_3O_{7-x}$ 1501
Ultrasonic hysteresis
– of $YBa_2Cu_3O_7$ 280
Ultrasound attenuation
– of $YBa_2Cu_3O_{7-x}$ 284, 294
– of $YBa_2Cu_3O_7$ 278
Ultrasound velocity
– of $La_{2-x}Ba_xCuO_4$ 1096
– of $YBa_2Cu_3O_{7-x}$ 284, 294, 1096
– of $YBa_2Cu_3O_7$ 278
Undistorted Hartree–Fock (UHF) calculations 1213
Untwinned single domain $YBa_2Cu_3O_7$ 1072
Upper critical field H_{c2} 15, 703, 1617, 1625
– angular dependence 26
– in $YBa_2Cu_3O_{7-x}$ 32
– of α_t-(BEDT–TTF)$_2I_3$ 491
– of (BEDT–TTF)$_2$Cu(NCS)$_2$ 1148
– of $(Bi_{0.45}La_{0.05})$–Sr–Cu–O system 38
– of $BiSrCaCu_2O_x$ 602, 631
– of $Bi_{2.2}Sr_2Ca_{0.8}Cu_2O_{8+\delta}$ (single crystal) 1062
– of $EuBa_2Cu_3O_y$ (single crystal) 1459
– of $GdMo_6S_8$ 483
– of $HoBa_2Cu_3O_{7-x}$ (grain aligned) 1463
– of $La_{1.85}Sr_{0.15}CuO_{4-\delta}$ 1485
– of multilayers 1702
– of Nb–$Nb_{0.6}Ti_{0.4}$ multilayers 473
– of $PbMo_6S_8$ 461
– of $REBa_2Cu_3O_7$ (RE = Y, Gd, Dy, Ho) 1525
– of $SmBa_2Cu_3O_{7-x}$ 1503
– of $Tl_2Mo_6Se_6$ (single crystal) 459
– of UPt_3 (whisker) 451
– of $YBa_2Cu_3O_{7-x}$ 1485
– of $YBa_2Cu_3O_7$ 1497
UPt_3 451, 1728
– single crystal 439, 445
– thin film 435
– whisker 451
U_2PtC_2 1728
URu_2Si_2 457, 1728
USO (unidentified superconducting object) 586
$U_{1-x}Th_xBe_{13}$ 1728
U_6X (X = Mn, Fe, Co, Ni) 1728

V-phases ($A_4M_4X_7$) (A = (Ti, Zr, Hf, Nb, Ta; M = Fe, Co, Ni, Rh; X = Si, Ge) 502
Valence and bonds in high-T_c superconductors 1189
Valence band of $YBa_2Cu_3O_7$ (thin film) 1445
Valence in $YBa_2Cu_3O_y$ 982
Valence of Cu in $YBa_2Cu_3O_{7-x}$ 826
van Hove singularity 235, 1181
Variational approach 1281
Variational Monte Carlo model 1265
Very strong cuopling superconductivity 223
Vibrating reed method 1499
Vibronic state 1321
Virtual two particle excitations model 1311
Volume magnetostriction of $GdBa_2Cu_3O_{7-x}$ 259
Vortex distribution 330
V_3Si 1397

Weak coupling 1718
Weak coupling limit 1307, 1610
Weak-coupling superconducting grains 1199
Weak ferromagnet 1702
Weakly coupled semiconductors 63

X-ray absorption L_3 edge spectra, *see* L_3XAS
XAFS of $YBa_2Cu_3O_y$ 982
XANES of $Y_{1-x}M_xBa_2Cu_3O_{7-\delta}$ (M = Ce, Pr, Tb) 916
XAS
– of Cu 139
– of $(La_{1-x}M_x)_2CuO_4$ (M = Sr, Ba) 139
– of $MBa_2Cu_3O_{7-x}$ (M = Y, Sr) 141
– of $NaCuO_2$ 139
– of $YBa_2Cu_3O_{7-x}$ 139, 145
– of $Y_{0.98}Ce_{0.02}Ba_2Cu_3O_7$ 139
– of $Y_{0.9}Tb_{0.1}Ba_2Cu_3O_7$ 139
XAS (Cu K) spectra 143
XES
– of $EuBa_2Cu_3O_x$ 135
– of $GdBa_2Cu_3O_x$ 135
– – single crystal 137
– of $YBa_2Cu_3O_x$
– – single crystal 137
XPS
– inverse XPS for $YBa_2Cu_3O_7$ 11
– of CuO 159
– of $(La_{1-x}Sr_x)_2CuO_4$ 11
– of $La_{1.85}Sr_{0.15}CuO_4$ 159
– of $La_{2-x}Sr_xCuO_4$ 119
– of $MBa_2Cu_3O_{7-x}$ (M = Y, Sr) 141
– of $NaCuO_2$ 159
– of $YBa_2Cu_3O_{6.1}$ 153
– of $YBa_2Cu_3O_{6.9}$ 153
– of $YBa_2Cu_3O_{7-x}$ 115, 119, 121, 131, 133, 145, 200
– of $YBa_2Cu_3O_7$ 151
XPS of $YBa_2Cu_3O_7$ (thin film) 1445
XY spin glass 63

Y–Ba–Cu–O 944
Y–Ba–Cu–O (filament) prepared by suspending spinning method 800
Y–Ba–Cu–O (thick film) prepared by plasma spraying and suspension method 802
Y–Ba–Cu–O (thin film)
– prepared by chemical spray pyrolysis method 804
– prepared by co-evaporation 772, 778
– prepared by ion beam sputtering 790
– prepared by modified DC-magnetron sputtering 796
– prepared by sol–gel coating and CVD methods 1042
– prepared by sputtering 780
Y–Ba–Cu–O (thin film) prepared by magnetron sputtering 794
(Yb, Lu, Sc)$Ba_2Cu_3O_{7-x}$ 920
$YBa_{2-x}Ak_xCu_3O_{7-\delta}$ (Ak = Li, Na, K, Cs) 1351
$Y(Ba_{1-x}Ca_x)_2Cu_3O_{7-y}$ 868
$YBa_{2-x}Ca_xCu_3O_{7-y}$ 1665
$YBa_2(CuAg)_3(O, F)_{7-x}$ 842
$YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ 870
$YBa_2(Cu_{1-x}Fe_x)_3O_7$ 952
$YBa_2(Cu_{1-x}M_x)_3O_{7-y}$ (M = Cr, Ni, Co, Fe) 868
$YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M = Fe, Ni, Zn) 862

$YBa_2Cu_{3-x}M_xO_{7-\delta}$ (M = Fe, Zn) 856
$YBa_2(Cu_{1-x}M_x)_3O_{7-\delta}$ (M = Zn, Cd, Hg) 906
$YBa_2(Cu_{1-x}Ni_x)_3O_{7-\delta}$ 928
$YBa_2Cu_{3-x}Ni_xO_{7-y}$ 1665
$Y_xBa_{1-x}CuO_y$ 818
$Y_{1-x}Ba_2Cu_3O_{7-y}$ 868
$YBa_{1.3}Cu_{4.2}O_{7-x}$ 1527
$YBa_{2(1-x)}Cu_3O_{7-y}$ 868
$YBa_2Cu_{3(1-x)}O_{7-y}$ 868
$YBa_2Cu_3O_x$ 958
$YBa_2Cu_3O_y$ 948
$YBa_2Cu_3O_6$ 3
$YBa_2Cu_3O_{7-x}$ 820, 846, 956, 1343, 1391, 1393, 1395, 1461, 1555
- unusual growth habits of single crystals 411
$YBa_2Cu_3O_7$ 3
- untwinned 357
$Y_{3-x}Ba_{3+x}Cu_6O_{14+\delta}$ 497
$(YBa_2Cu_3O_{6.9})_{1-x}Ag_x$ 1339
$YBa_2Cu_3O_{7-x}$ (film) 1443
- prepared by sputtering 812
$YBa_2Cu_3O_{7-x}$ (large crystalline grains) 1475
$YBa_2Cu_3O_{7-x}$ (single crystal) 1399, 1465
$YBa_2Cu_3O_7$ (single crystal) 510
$YBa_2Cu_3O_{7-x}$ (single crystal thin film) 1385
$YBa_2Cu_3O_x$ (thick film)
- prepared by colloidal solution 798
- prepared by screen-printing technique 808
YBaCuO (thin film)
- prepared by E-beam evaporation 771
$YBa_2Cu_3O_x$ (thin film)
- prepared by RF-planar magnetron sputtering 788
- prepared by sputtering 1044
$YBa_2Cu_3O_{7-x}$ (thin film)
- prepared by co-deposition 786
- prepared by DC sputtering 776
- prepared by magnetron sputtering 1690
- prepared by reactive sputtering 806
$YBa_2Cu_3O_7$ (thin film) 520
- prepared by co-evaporation 1453
- prepared by DC-magnetron sputtering 782
- prepared by DC sputtering 774
- prepared by ion beam sputtering 1449
$Y_2Ba_4Cu_8O_{20-x}$ (thin film) 520
$YBa_2Cu_3O_{7-x}$ (thin film, single crystal) prepared by activated reactive evaporation on $SrToO_3$ single crystal (100) 810
$YBa_2Cu_3O_x$ (thin layer) prepared by solid state diffusion 792
$YBa_2Cu_3O_xF_y$ 932, 934, 936, 938
$YBa_2Cu_3O_5F_2$ 729
$YBa_2Cu_{3-x}Pd_xO_y$ 489
$Y(Ba_{1-x}Sr_x)_2Cu_3O_{7-\delta}$ 870
$(Y_{1-x}Ln_x)Ba_2Cu_3O_7$ (Ln = La, Pr, Tb) 924
$Y_{1-x}M_xBa_2Cu_3O_{7-\delta}$ (M = Ce, Pr, Tb) 916
$Y_3Os_4Si_{12}$ (α'-phase) 485
$Y_9Os_4Si_{22}$ (ε-phase) 485
$Y_5Os_4Si_{15}$ (γ-phase) 485
Young modulus of $YBa_2Cu_3O_{6.9}$ 960
$Y_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ 858
$Y_{1-x}Pr_xBa_2Cu_3O_7$ 910
$Y_{1-x}Sc_xBa_2Cu_3O_{7-\delta}$ 868
$Y(Sm)Ba_2Cu_3O_{7-x}$ 1387
$YSrCuO_{4-x}$ 908
Yttrium segregation 1653
$Y_{1-x}Yb_xBa_2Cu_3O_{7-\delta}$ 1665

ZrO_2 44
$Zr_{0.9}Si_{0.1}$ 471